



GOVT. OF NCT OF DELHI
DEPTT. OF HEALTH & FAMILY WELFARE
JAG PRAVESH CHANDRA HOSPITAL
SHASTRI PARK, DELHI - 110053
PH. 011-22184453, 011-22568806 Fax- 011-2184455

25/8/23
43/c

Proprietary Article Certificate

(As per GFR Rule 154)

Name of the article/item/machine
It is certified that;

1. The indented goods are manufactured by M/s Agape diagnostic Ltd supplied by M/s Accute Healthcare Pvt Ltd (Authorized distributor of the manufacturer vide letter no 10638 dt 28/8/23 placed at 30/c)
2. No other make or model is acceptable for the following reason (s):
 - (A) Only Agape Diagnostics Ltd firm is manufacturing this reagents as per proprietor's letter placed at 19/c & 20/c
 - (B) Only this is compatible with this machine To the best of my knowledge
 - (C) Manufacturer/Supplier has already provided this information vide letter no 10638 dt 28/8/23 placed at 19/c & 20/c
 - (D) In my believe the rates seems to be reasonable and justified as placed on page lowest rate submitted by vendor at 22/c & supply orders of LMS
3. Concurrence of finance wing to the proposal vide
4. Approval of the competent authority vide

(Signature with date & Designation of indenting officer)

[Signature]
25/8/23
Dr. SHIKHA GUPTA
MBBS, MD
Specialist, Pathology (GNCTD)
Jag Pravesh Chandra Hospital
Shastri Park, Delhi-53

201C

ADL/CO/GAM/0697/2023-24
Date: 24/08/2023

Auth Ltr Valid Up To - 30/09/2028

AUTHORIZATION LETTER

To,

The Medical Superintendent

Jag Pravesh Chandra Hospital
Panduk Shila Marg, Near Northern Engineering
Shastri Park, Sahadra, Delhi-110053

Sub: Letter of Authorization

Ref: GEMC-511687761449729, Dated: 10-Aug-2023


Dear Sir/Madam,

We **Agappe Diagnostics Ltd**, who are established and reputed manufacturers of "Diagnostics Reagent" having factories at Agappe Hills, Pattimattom PO, Ernakulam, Kerala 683562 vide Mfg. License No: MFG/IVD/2020/000005 & MFG/IVD/2020/000100 & ISO 9001, ISO 13485 Certified Company do hereby authorize **M/s Accute Healthcare (P)Ltd.**, Shop No. 19, 1st Floor, Block: FD (DDA Market), Near Pitampura Metro Station Gate No 3, Pitampura, Delhi - 110034 as our "AUTHORIZED DISTRIBUTOR" for whole range of products manufactured by us. They are authorized to quote, negotiate, supply, and collect payment on our behalf.

This Certificate is Valid up to 30/09/2028.

Thanking You.

For Agappe Diagnostics Ltd


Roshin Raj
Assistant General Manager



Received on 24/08/23
Dr. SHUKHA GUPTA
MBBS, MD
Specialist, Pathology (GNCTD)
Jag Pravesh Chandra Hospital
Shastri Park, Delhi-53

AGAPPE DIAGNOSTICS LTD.

ISO 9001:2015 | EN ISO 13485:2016 CERTIFIED COMPANY | CIN : U24239MH1998PLC115413

CORPORATE OFFICE / REAGENT PLANT
Agappe Hills, Pattimattom (PO), Dist. Ernakulam, Kerala - 683 562, India.
Tel: + 91 484 286 7000 | Email: agappe@agappe.in

MUMBAI [REGISTERED OFFICE]
401 & 402, 4th Floor, Jaisingh Business Centre, 119,
Sahar Road, Parsiwada, Andheri (East), Mumbai - 400 099, India.
Tel: +91 22 4300 8000 | Email: mumbaioffice@agappe.in

EQUIPMENT PLANT
X/588-CB, Block No. 32, KINFRA Small Industrial Park,
Nellad, Cochin, Kerala, India - 686 721. Tel: +91 484 276 7477.

DELHI OFFICE
DSM 540, 5th Floor, DLF Tower, Shivaji Marg,
New Delhi - 110 015, India.
Tel: +91 11 4558 8416 | Email: delhioffice@agappe.in

KOLKATA OFFICE
406, Merlin Matrix, Plot No-10, Block-DN, Sector V,
Salt Lake City, Kolkata - 700 091.
Tel: +91 33 4003 0451 | Email: kolkatataoffice@agappe.in

BANGALORE OFFICE
S-6, IInd Floor, Red Cross Bhavan, No-26 Race Course Road,
Bangalore - 560 001. Tel: +91 80 2228 8288
Email: bangaloreoffice@agappe.in

YOUR BEST PARTNER IN DIAGNOSTICS

29/C

ADL/CO/GAM/0705/2023-24
Dated: 24/08/2023

Ref No: GEMC-511687761449729, Dated: 10-Aug-2023.

MAKE-IN-INDIA (MII) LOCAL SUPPLIER CERTIFICATE

We certify that the item offered Fully Automatic Biochemistry Analyzer "Model: TBA120FR Pearl Edition" meets the local content requirement for

- ☐ Class I Local supplier (Minimum 50% of local content)
☒ Class II Local supplier (Minimum 20%, but less than 50%, of local content)

We M/s Agappe Diagnostics Ltd. hereby declare that We are a "Local Supplier" meeting the requirement of minimum local content (25 %) defined in the above government notification for the goods against above mentioned enquiry Number.

Details of the location(s) at which local value addition made:

- Equipment Plant:
Agappe Diagnostics Ltd,
X/588-CB, Block No. 32, KINFRA small industrial park, Nellad, Cochin, Kerala, 686669, India

Thanking You.
For Agappe Diagnostics Ltd

Roshin Raj
Assistant General Manager



Recd on duty
Dr. SHIKHA GUPTA
MBBS, MD
Specialist, Pathology (GNCTD)
Jag Praveesh Chandra Hospital
Shastri Park, Delhi-53

AGAPPE DIAGNOSTICS LTD.

ISO 9001:2015 | EN ISO 13485:2016 CERTIFIED COMPANY | CIN : U24239MH1998PLC115413

CORPORATE OFFICE / REAGENT PLANT
Agappe Hills, Pattimattom (PO), Dist. Ernakulam, Kerala - 683 562, India.
Tel: +91 484 286 7000 | Email: agappe@agappe.in

MUMBAI [REGISTERED OFFICE]
401 & 402, 4th Floor, Jaisingh Business Centre, 119, Sahar Road, Parsiwada, Andheri (East), Mumbai - 400 099, India.
Tel: +91 22 4300 8000 | Email: mumbaioffice@agappe.in

EQUIPMENT PLANT
X/588-CB, Block No. 32, KINFRA Small Industrial Park, Nellad, Cochin, Kerala, India - 686 721. Tel: +91 484 276 7477.

DELHI OFFICE
DSM 540, 5th Floor, DLF Tower, Shivaji Marg, New Delhi - 110 015, India.
Tel: +91 11 4558 8416 | Email: delhioffice@agappe.in

KOLKATA OFFICE
406, Merlin Matrix, Plot No-10, Block-DN, Sector V, Salt Lake City, Kolkata - 700 091.
Tel: +91 33 4003 0451 | Email: kolkataoffice@agappe.in

BANGALORE OFFICE
S-6, 11th Floor, Red Cross Bhavan, No:26 Race Course Road, Bangalore - 560 001. Tel: +91 80 2228 8288
Email: bangaloreoffice@agappe.in

YOUR BEST PARTNER IN DIAGNOSTICS
YOUR BEST PARTNER IN DIAGNOSTICS

SSPIN : 07AAJCA5052G1ZT
CIN : U33110DL2011PTC219501
PAN No. : AAJCA5052G



Ref No. AHC/QT/DE/A230829-1/2023-24
Dated: 29/08/2023

To,
MEDICAL SUPERINTENDENT
JAG PRAVESH CHANDRA HOSPITAL
PANDUK SHILA MARG, NEAR NORTHERN ENGINEERING
SHASTRI PARK, SAHADRA, DELHI-110053

Ref: Contract No: GEMC-511687761449729, Dated: 10-Aug-2023

Sub: Rate Quotation

Dear Sir/Madam,

• Bar Code System Reagents for TBA120 FR Pearl Edition:

SL NO	Agappe Code	Product Name	Pack Size	Unit Rate (Excl. Tax)	GST Extra%
1	12011060	ADENOSINE DEAMINASE 1x45/1x23mL	1 x 45 / 1 x 23 mL	20710	12%
2	12011002	ALBUMIN 4 X 100 mL	4 X 100 mL	3844	12%
3	12011070	ALKALINE PHOSPHATASE IFCC 4 x 90/4 x 26 mL	4 x 90/4 x 26 mL	8927	12%
4	12011004	AMYLASE 4X54 mL	4X54 mL	32110	12%
5	B13836	BILE ACID	2X18/2X8ML	55000	12%
6	12011005	BILIRUBIN DIRECT 5X100 /5X11 mL	5X100 /5X11 mL	9705	12%
7	12011006	BILIRUBIN TOTAL-TAB 5X100 /5X11 mL	5X100 /5X11 mL	11645	12%
8	12011007	CALCIUM (ARSENazo) 4X72 mL	4X72 mL	5521	12%
9	12011009	CHOLESTEROL 7X100 mL	7X100 mL	13797	12%
10	12011061	CHOLINESTERASE 1 x 92 / 1 x 26 mL	1 x 92 / 1 x 26 mL	28090	12%
11	12011010	CK-NAC 2X92 /2X26 mL	2X92 /2X26 mL	45415	12%
12	12011063	D-DIMER 1 x 44 / 1 x 16 mL	1 x 44 / 1 x 16 mL	55905	12%
13	12011011	ENZYMATIC CREATININE---AGECRT 4X100 /4X37 mL	4X100 /4X37 mL	33264	12%
14	12011012	GAMMA GT 2X92 /2X26 mL	2X92 /2X26 mL	8168	12%
15	12011071	GLUCOSE HEXOKINASE -----AGGLH 4 x 100/4 x 28 mL	4 x 100/4 x 28 mL	5852	12%
16	12011014	HDL - C DIRECT-----AGHDL 2X100 /2X37 mL	2X100 /2X37 mL	22167	12%
17	12011135	IRON 2 x 45 mL	2 x 45 mL	3267	12%
18	12011015	LDH - P 2X93 /2X26 mL	2X93 /2X26 mL	16055	12%
19	12011016	LDL - C DIRECT-----AGLDL 2X100 /2X37 mL	2X100 /2X37 mL	52035	12%
20	12011017	LIPASE 2X70 /2X20 mL	2X70 /2X20 mL	40135	12%

ACCUTE HEALTH CARE (P) LTD.

DEALS IN : DIAGNOSTICS & INSTRUMENTS

Shop No.-19, 1st Floor Block FD (DDA) market, Near Pitampura Metro Station Gate
No.-3, Pitampura Delhi-110034 Tel. : 011-41648600 E-mail : accute2011@gmail.com



Hand in day
Dr. P. S. MD (GNCTD)
Jag Prava Hospital
Shastri Park, Delhi-53

PIN : 07AAJCA5052G1ZT
 PIN : U33110DL2011PTC219501
 PAN No. : AAJCA5052G

251c



21	12011018	MAGNESIUM 4X53 ml	4X53 mL	10375	12%
22	12011066	Microprotein	2x55ml	10755	12%
23	12011020	PHOSPHOROUS 4X53 ml	4X53 mL	2767	12%
24	12011021	SGOT 5X100 /5X29 ml	5X100 /5X29 mL	8959	12%
25	12011022	SGPT 5X100 /5X29 ml	5X100 /5X29 mL	8959	12%
26	12011067	TIBC 1 x 45 / 1 x 15 ml	1 x 45 / 1 x 15 mL	8260	12%
27	12011023	TOTAL PROTEIN 7X55 mL	7X55 mL	4073	12%
28	12011024	TRIGLYCERIDES 7X100 mL	7X100 mL	18298	12%
29	12011025	UREA U.V 5X100 /5X29 mL	5X100 /5X29 mL	9269	12%
30	12011026	URIC ACID 4 X 100 mL	4 X 100 mL	10984	12%
31	12011027	ASO 1X53 /1X20 mL	1X53 /1X20 mL	28890	12%
32	12011028	ALPHA 1 ACID GLYCO PROTEIN 1X45 /1X6 mL	1X45 /1X6 mL	12170	12%
33	12011029	ALPHA 1 ANTITRYPSIN 1X75 /1X8 mL	1X75 /1X8 mL	57530	12%
34	12011031	Apo A1 1X52 /1X11 mL	1X52 /1X11 mL	21075	12%
35	12011032	Apo B 1X43 /1X10 mL	1X43 /1X10 mL	21360	12%
36	12011033	C3 1X50 /1X10 mL	1X50 /1X10 mL	19270	12%
37	12011034	C4 1X50 /1X10 mL	1X50 /1X10 mL	19530	12%
38	12011035	CERULOPLASMIN 1X40 /1X10 mL	1X40 /1X10 mL	29695	12%
39	12011036	CRP 2X55 /2X21 mL	2X55 /2X21 mL	54170	12%
40	12011037	CRP ULTRA-----AGCRP 1X45 /1X23 mL	1X45 /1X23 mL	25045	12%
41	12011038	CYSTATIN C 1X29 /1X8 mL	1X29 /1X8 mL	55380	12%
42	12011040	FERRITIN 1X44 /1X16 mL	1X44 /1X16 mL	60200	12%
43	12011041	HAPTOGLOBIN 1X34 /1X6 mL	1X34 /1X6 mL	28890	12%
44	12011042	HbA1c DIRECT-----AGA1c 1X71 /1X26.5/4x63 mL	1X71 /1X26.5/4x63 mL	32000	12%
45	12011043	IgA 1X44 /1X16 mL	1X44 /1X16 mL	21400	12%
46	12011044	IgE 1X40 /1X11 mL	1X40 /1X11 mL	56190	12%
47	12011045	IgG 1X27 /1X25 mL	1X27 /1X25 mL	24080	12%
48	12011046	IgM 1X44 /1X16 mL	1X44 /1X16 mL	23010	12%
49	12011049	Lp(a) 1X30/1X8 mL	1X30/1X8 mL	28890	12%
50	12011050	MICROALBUMIN 1X60 /1X15 mL	1X60 /1X15 mL	27290	12%
51	12011051	PREALBUMIN 1X75 /1X8 mL	1X75 /1X8 mL	20130	12%
52	12011052	RF 2X55 /2X21 mL	2X55 /2X21 mL	60200	12%
53	12011053	TRANSFERRIN 1X75 /1X8 mL	1X75 /1X8 mL	28760	12%

• Control & Calibrator:


SL NO	Agappe Code	Product Name	Pack Size	Unit Rate (Excl. Tax)	GST Extra %
1	51601001	Qualicheck Norm & Path 2 x 5 mL	2 x 5 mL	1950	12%
2	51604001	HbA1c Direct Multicalibrator 4 x 0.5 mL	4 x 0.5 mL	9380	12%

ACCUTE HEALTH CARE (P) LTD.

DEALS IN : DIAGNOSTICS & INSTRUMENTS

Shop No.-19, 1st Floor Block FD (DDA) market, Near Pitampura Metro Station Gate
 No.-3, Pitampura Delhi-110034 Tel. : 011-41648600 E-mail : accute2011@gmail.com

IN : 07AAJCA5052G1ZT
CIN : U33110DL2011PTC219501
PAN No. : AAJCA5052G



3	51610001	Multicalibrator 5 x 3 ml	5 x 3 mL	5310	12%
4	51612004	Lipid Control (Bi level) 2 x 1 mL	2 x 1 mL	3610	12%
5	51613001	ApoA1 & ApoB Calibrator 1 x 1 mL	1 x 1 mL	6530	12%
6	51614004	PROTEIN Calibrator (Multi) 1 x 1 mL	1 x 1 mL	4360	12%
7	51614007	Protein Control (Bi level) 2 x 1 mL	2 x 1 mL	6640	12%
8	51615003	ASO Calibrator 1 x 1 mL	1 x 1 mL	2410	12%
9	51636003	Adenosine Deaminase Calibrator 2 x 1 mL	2 x 1 mL	3240	12%
10	51617001	RF Calibrator 1 x 1 mL	1 x 1 mL	2600	12%
11	51618003	Microalbumin Calibrator 1 x 1 mL	1 x 1 mL	3070	12%
12	51619001	Lp(a) Calibrator 1 x 1 mL	1 x 1 mL	12930	12%
13	51620003	Feritin Calibrator 1 x 1 mL	1 x 1 mL	6800	12%
14	51621002	CRP Ultra Calibrator 1 x 2 mL	1 x 2 mL	5720	12%
15	51625002	HbA1c Control Level 2 x 0.5 mL	2 x 0.5 mL	2730	12%
16	51627001	IgE Calibrator 1 x 1 mL	1 x 1 mL	9200	12%
17	51630002	D Dimer Calibrator 1 x 1 mL	1 x 1 mL	4540	12%
18	51630003	D-Dimer Control (Bi level) 2 x 0.5 mL	2 x 0.5 mL	7370	12%
19	51634002	Cystatin - C Control (Bi level) 2 x 1 mL	2 x 1 mL	12930	12%
20	51635002	Microalbumin Control (Bi level) 2 x 1 mL	2 x 1 mL	2940	12%
21	51636002	Adenosine Deaminase Control (Bi-Level) 2 x 1 mL	2 x 1 mL	6470	12%
22	51639002	Iron/TIBC calibrator 1 x 3 mL	1 x 3 mL	4430	12%
23.	RQ9128	RIQAS Biochemistry(Six Month)	6x5ml	12500	12%
24.	RQ9129	RIQAS Hba1C(Six Month)	6X0.5ML	20500	12%

• Consumables:

SL NO	Agappe Code	Product Name	Pack Size	Unit Rate (Excl. Tax)	GST Extra %
1	54021001	BIANCH C 500mL	500mL	11000	12%
2	54022001	BIANCH R 500mL	500mL	7500	12%
3	54023001	BIANCH 3 500mL	500mL	6000	12%
4	54024001	BIANCH 14 500mL	500mL	4500	12%
5	12011054	ION CALIPER 1 x 1 L	1 x 1 L	10430	12%
6	12011055	ION CHARGE 5 x 90 mL	5 x 90 mL	17370	12%
7	12011056	CALIBRATOR SERUM 5 x 10(L)/ 5 x 10(H) mL	5 x 10(L)/ 5 x 10(H) mL	32780	12%
8	12011058	ISE CLEANER 10 x 12 mL	10 x 12 mL	29150	12%
9	12011059	ELECTRODE CHIP	1Pcs	132300	18%
10.		SAMPLE CUPS TBA 120 FR	1X500 PCS	3500	18%

Review is done
Dr. SHIKHA GUPTA
MBBS, MD
Jagdish Chandra Hospital
Shastri Nagar, Delhi-53
ACCUTE HEALTH CARE (P) LTD.
DEALS IN : DIAGNOSTICS & INSTRUMENTS



Shop No.-19, 1st Floor Block FD (DDA) market, Near Pitampura Metro Station Gate
No.-3, Pitampura Delhi-110034 Tel. : 011-41648600 E-mail : accute2011@gmail.com

IN : 07AAJCA5052G1ZT
CIN : U33110DL2011PTC219501
PAN No. : AAJCA5052G



SL NO	Agappe Code	Product Name	Pack Size	Unit Rate (Excl. Tax)	GST Extra%
1	73081049	Lamp Assay FAATBA-25/BM10-7430	1Pcs	22640	18%
2	73081036	ICC Syringe FAATBA-40/YZD5490-02*A	1Pcs	3990	18%
3	72091025	Solution Filter	1Pcs	1575	18%
4	72091011	Filter 10 U	1Pcs	9190	18%
5	73081002	Bellows Assay FAATBA-40/YZY5939-01	1Pcs	13540	18%
6	73091004	NOZZLE DRY,TBA 120 FR Pearl Edition	1Pcs	7728	18%
7	73091005	TUBE-ASSY,TBA-120 FR Pearl Edition	1Pcs	5666	18%
8	73091006	SAMPLE PROBE.TBA-120 FR Pearl Edition	1Pcs	29029	18%
9	73091007	REAGENT PROBE.TBA-120 FR Pearl Edition	1Pcs	39640	18%
10	73091009	ISE PROBE	1Pcs	5165	18%

Terms & Conditions: -

1. All the rates quoted above are Exclusive of GST.(12%)
2. All the consumable rates quoted above are exclusive of GST (18%)
3. Supply will be made only after the receipt of order copy from the institution.
4. The above rates are valid up to **30/09/2028** from the date of issue of rate contract.
5. Payment Terms - 30 Days from the Date of Invoice.

Name: Shailendra Kumar Mishra
Designation: Director

Signature

Address: Accute Healthcare Pvt Ltd,
Shop No.19, 1st Floor,Block FD (DDA Market),
Near Pitampura Metro Station Gate No. 3,
Pitampura, Delhi-110034
Ph:011-41648600, 09811901800



Received on diary

Dr. SHIKHA GUPTA
MBBS, MD
Specialist, Pathology (GNCTD)
Jag Praveen Chandra Hospital
Shastri Park, Delhi-53

ACCUTE HEALTH CARE (P) LTD.
DEALS IN : DIAGNOSTICS & INSTRUMENTS

Shop No.-19, 1st Floor Block FD (DDA) market, Near Pitampura Metro Station Gate
No.-3, Pitampura Delhi-110034 Tel. : 011-41648600 E-mail : accute2011@gmail.com

IN : 07AAJCA5052G1ZT
CIN : U33110DL2011PTC219501
PAN No. : AAJCA5052G



Ref No. AHC/QT/DE/A230829-2/2023-24
Dated: 29/08/2023

To,
MEDICAL SUPERINTENDENT
JAG PRAVESH CHANDRA HOSPITAL
PANDUK SHILA MARG, NEAR NORTHERN ENGINEERING
SHASTRI PARK, SAHADRA, DELHI-110053

Sub: **Lowest Price Certificate** for Price of Bar code reagents, control, calibrator and consumables for Agappe Floor model Type Fully Automatic Bio Chemistry Analyzer. Model - TBA-120FR Pearl Edition

Ref.: Contract No. GEMC-511687761449729, Dated: 10-Aug-2023

Dear Sir/Madam,

We Accute Healthcare Pvt Ltd hereby declare that the price quoted by us for JAG PRAVESH CHANDRA HOSPITAL, Delhi are valid and binding for entire period of contract and it is certified that we have not quoted price higher than quoted in anywhere else in the country in this Quotation.

Thanking you

For Accute Health Care Pvt. Ltd.


(Authorized Signatory)




Revised on day


Dr. SHIKHA GUPTA
MBBS, MD
Specialist, Pathology (GNCTD)
Jag Pravesh Chandra Hospital
Shastri Park, Delhi-110053

ACCUTE HEALTH CARE (P) LTD.
DEALS IN : DIAGNOSTICS & INSTRUMENTS

Shop No.-19, 1st Floor Block FD (DDA) market, Near Pitampura Metro Station Gate
No.-3, Pitampura Delhi-110034 Tel. : 011-41648600 E-mail : accute2011@gmail.com



AGAPPE

19/c

ADL/CO/GAM/0702/2023-24

Date: 24/08/2023

PROPRIETARY LETTER

To,

The Medical Superintendent

Jag Pravesh Chandra Hospital

Panduk Shila Marg, Near Northern Engineering
Shastri Park, Sahadra, Delhi-110053

Sub: Proprietary Letter

Ref No.: GEMC-511687761449729, Dated: 10-Aug-2023


Dear Sir/Madam,

This is to certify that the Bar Code Reagents of Fully Automated Clinical Chemistry Analyser – **TBA 120FR Pearl Edition** is a **Proprietary Product** manufactured by our firm **M/s Agappe Diagnostics Ltd.** located at Agappe Diagnostics Ltd., Agappe Hills, Pattimattom P.O, Ernakulam District, Kerala – 683562.

Thanking You.

For Agappe Diagnostics Ltd


Roshin Raj
Assistant General Manager



Recd in diary


Dr. SEIKHA SIPTA
MBBS, MD
Specialist in Pathology (GNCTD)
Jag Pravech Chandra Hospital
Shastri Park, Sahadra, Delhi-110053

AGAPPE DIAGNOSTICS LTD.

ISO 9001:2015 | EN ISO 13485:2016 CERTIFIED COMPANY | CIN : U24239MH1998PLC115413

CORPORATE OFFICE / REAGENT PLANT
Agappe Hills, Pattimattom (PO), Dist. Ernakulam, Kerala - 683 562, India.
Tel: +91 484 286 7000 | Email: agappe@agappe.in

MUMBAI [REGISTERED OFFICE]
401 & 402, 4th Floor, Jaisingh Business Centre, 119,
Sahar Road, Parsiwada, Andheri (East), Mumbai - 400 099, India.
Tel: +91 22 4300 8000 | Email: mumbai@agappe.in

EQUIPMENT PLANT
X/588-CB, Block No. 32, KINFRA Small Industrial Park,
Nellad, Cochin, Kerala, India - 686 721. Tel: +91 484 276 7477.

DELHI OFFICE
DSM 540, 5th Floor, DLF Tower, Shivaji Marg,
New Delhi - 110 015, India.
Tel: +91 11 4558 8416 | Email: delhi@agappe.in

KOLKATA OFFICE
406, Merlin Matrix, Plot No-10, Block-DN, Sector V,
Salt Lake City, Kolkata - 700 091.
Tel: +91 33 4003 0451 | Email: kolkata@agappe.in

BANGALORE OFFICE
S-6, 11th Floor, Red Cross Bhavan, No:26 Race Course Road,
Bangalore - 560 001. Tel: +91 80 2228 8288
Email: bangalore@agappe.in

YOUR BEST PARTNER IN DIAGNOSTICS